SAFETY DATA SHEET



MATERIAL IDENTIFICATION

PRODUCT NAME / DESCRIPTION:

Eco Rock Cleaner

DISTRIBUTED / MANUFACTURED BY: Rose Rock Products, LLC 11901 N. Morgan Rd. Yukon, OK 73099

Date: 1/22/21 Phone: (405) 883-1095 Emergency Phone: (800) 255-3924

FUNCTION Industrial Cleaner

SECTION 2

HAZARD IDENTIFICATION

CLASSIFICATION:

Acute Toxicity:	Category 4
Skin Corrosion/Irritation:	Category 2
Serious Eye Damage/Eye Irritation:	Category 2
Skin Sensitizer:	Category 1

SIGNAL WORD:

WARNING!

HAZARD STATEMENTS:

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.



PRECAUTIONARY STATEMENTS

Obtain Special instructions before use.

Do not handle until all safety precautions have been read and understood.

Use personal protective equipment as required.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well ventilated area.

Wash all exposed skin thoroughly after handling.

Avoid release to the environment.

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.Read label before use.Keep container tightly closed.Keep only in original container.Do not get in eyes, on skin, or on clothing.Do not eat, drink, or smoke when using this product.TOXICITY:See Section 11

SECTION 3

HEALTH HAZARDS

FIRST AID

CHEMICAL NAME	%W/W	CAS NUMBER
Proprietary derivitized carboxylic acid emulsifier	<25	Proprietary
Citrus Terpenes	<25	94266-47-4
1-Butoxy-2-Propanol	<15	5131-66-8
(Proprietary Formula)		

SECTION 4

Potential acute health effects:

Eyes:	May cause severe irritation, burns, and/or damage
Skin:	May cause severe irritation, burns, and/or damage
Inhalation:	Inhalation may cause severe irritation
Ingestion:	Ingestion may cause irritation, corrosion/ulceration, nausea, and vomiting.

Medical conditions aggravated by exposure:

None known.

Eye Contact: In case of contact, immediately flush eyes with cool running water. Lift and separate eyelids while flushing with plenty of water for at least 15 minutes. Get medical attention.

- **Skin Contact:** Wash with soap and water. Get medical attention if irritation occurs. Wash clothing before reuse. Destroy contaminated shoes.
- Inhalation: Remove victim to fresh air and keep at rest in a position confortable for breathing. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if symptoms develop.
- **Ingestion:** Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If large quantities of this material are swallowed, call a physician immediately. Give plenty of water.

SECTION 5

FIRE FIGHTING MEASURES

Fire Hazard Classification (OSHA/NFPA): Extinguishing Media: Special Fire Fighting Procedures: Hazardous Combustion Products:

SECTION 6

1 As required for fire being fought. Use self-contained breathing apparatus. None known.

ACCIDENTAL RELEASE MEASURES

Personal Prec and Emergen Procedures:		Wear protective clothing as described in Section 8 of this safety data sheet.
Containment	Procedures:	Stop the flow of material, if this is without risk. Wear appropriate protective equipment and clothing during clean-up. Do not allow the spilled product to enter public drainage system or open water courses.
Clean-Up Pro	cedures:	Sweep up or gather material and place in appropriate container for disposal. Wash spill area thoroughly. Wear appropriate protective equipment during cleanup. Dispose of collected material according to regulations.
SECTION 7		HANDLING AND STORAGE
Handling:		t with eyes, skin, and clothing. Do not take internally. For industrial use only. Wash g. Don't breath dust, vapor, or gas. Keep this and all chemicals out of reach of
Storage:	in a cool, wel	om heat, sparks, and open flames. Prevent spills. Keep container tightly closed and I-ventilated place away from incompatible materials. Empty product containers may uct residue, do not reuse.
SECTION 8		
		PERSONAL PROTECTION / EXPOSURE CONTROLS
Ventilation S	ystem:	Always keep exposure below permissible exposure limits. In general dilution ventilation is a satisfactory health hazard control for this substance. However, if conditions of use create discomfort to the worker, a local exhaust system should be considered.
Ventilation Sy	-	Always keep exposure below permissible exposure limits. In general dilution ventilation is a satisfactory health hazard control for this substance. However, if conditions of use create discomfort to the worker, a local exhaust system should
Ventilation Sy	osure Limits:	Always keep exposure below permissible exposure limits. In general dilution ventilation is a satisfactory health hazard control for this substance. However, if conditions of use create discomfort to the worker, a local exhaust system should be considered.

Hands & Skin:	For prolonged or repeated handling, use impervious gloves. Gloves should be tested to determine suitability for prolonged contact. Use of impervious apron and boots are recommended.
Respiratory:	If ventilation is not sufficient appropriate NIOSH/MSHA respiratory protection must be provided.
Work Practices:	Eye wash fountain and emergency showers are recommended.

SECTION 9

TYPICAL PHYSICAL AND CHEMICAL PROPERTIES

STABILITY AND REACTIVITY

Color:Slightly cloudyOdor:SlightOdor Threshold:NEpH:9.39 +/- 0.5Boiling Point:NEMelting Point:NEFlash Point:NEFlash Point:NEEvaporation Rate (Butylacetate=1):NEFlammability:Non-FlammableUEL:NEVapor Pressure:NEVapor Density:NESpecific Gravity (Water=1):0.95 +/- 0.05Solubility Water:SolublePartition Coefficient:NEAuto-ignition Temperature:NEViscosity (CPS):NE	Physical Form:	Liquid
Odor Threshold:NEpH:9.39 +/- 0.5Boiling Point:NEMelting Point:NEFlash Point:NEFlash Point:NEEvaporation Rate (Butylacetate=1):NEFlammability:Non-FlammableUEL:NELEL:NEVapor Pressure:NEVapor Density:NESpecific Gravity (Water=1):0.95 +/- 0.05Solubility Water:SolublePartition Coefficient:NEAuto-ignition Temperature:NEDecomposition Temperature:NE	Color:	Slightly cloudy
pH:9.39 +/- 0.5Boiling Point:NEMelting Point:NEFlash Point:NEFlash Point:NEEvaporation Rate (Butylacetate=1):NEFlammability:Non-FlammableUEL:NELEL:NEVapor Pressure:NEVapor Density:NESpecific Gravity (Water=1):0.95 +/- 0.05Solubility Water:SolublePartition Coefficient:NEAuto-ignition Temperature:NEDecomposition Temperature:NE	Odor:	Slight
Boiling Point:NEMelting Point:NEFlash Point:NEEvaporation Rate (Butylacetate=1):NEFlammability:Non-FlammableUEL:NeVapor Pressure:NEVapor Density:NESpecific Gravity (Water=1):0.95 +/- 0.05Solubility Water:SolublePartition Coefficient:NEAuto-ignition Temperature:NEDecomposition Temperature:NE	Odor Threshold:	NE
NetNetMelting Point:NEFlash Point:NEEvaporation Rate (Butylacetate=1):NEFlammability:Non-FlammableUEL:NELEL:NEVapor Pressure:NEVapor Density:NESpecific Gravity (Water=1):0.95 +/- 0.05Solubility Water:SolublePartition Coefficient:NEAuto-ignition Temperature:NEDecomposition Temperature:NE	pH:	9.39 +/- 0.5
Flash Point:NEEvaporation Rate (Butylacetate=1):NEFlammability:Non-FlammableUEL:NELEL:NEVapor Pressure:NEVapor Density:NESpecific Gravity (Water=1):0.95 +/- 0.05Solubility Water:SolublePartition Coefficient:NEAuto-ignition Temperature:NEDecomposition Temperature:NE	Boiling Point:	NE
Evaporation Rate (Butylacetate=1):NEFlammability:Non-FlammableUEL:NELEL:NEVapor Pressure:NEVapor Density:NESpecific Gravity (Water=1):0.95 +/- 0.05Solubility Water:SolublePartition Coefficient:NEAuto-ignition Temperature:NEDecomposition Temperature:NE	Melting Point:	NE
Flammability:Non-FlammableUEL:NELEL:NEVapor Pressure:NEVapor Density:NESpecific Gravity (Water=1):0.95 +/- 0.05Solubility Water:SolublePartition Coefficient:NEAuto-ignition Temperature:NEDecomposition Temperature:NE	Flash Point:	NE
UEL:NELEL:NEVapor Pressure:NEVapor Density:NESpecific Gravity (Water=1):0.95 +/- 0.05Solubility Water:SolublePartition Coefficient:NEAuto-ignition Temperature:NEDecomposition Temperature:NE	Evaporation Rate (Butylacetate=1):	NE
LEL:NEVapor Pressure:NEVapor Density:NESpecific Gravity (Water=1):0.95 +/- 0.05Solubility Water:SolublePartition Coefficient:NEAuto-ignition Temperature:NEDecomposition Temperature:NE	Flammability:	Non-Flammable
Vapor Pressure:NEVapor Density:NESpecific Gravity (Water=1):0.95 +/- 0.05Solubility Water:SolublePartition Coefficient:NEAuto-ignition Temperature:NEDecomposition Temperature:NE	UEL:	NE
Vapor Density:NESpecific Gravity (Water=1):0.95 +/- 0.05Solubility Water:SolublePartition Coefficient:NEAuto-ignition Temperature:NEDecomposition Temperature:NE	LEL:	NE
Specific Gravity (Water=1):0.95 +/- 0.05Solubility Water:SolublePartition Coefficient:NEAuto-ignition Temperature:NEDecomposition Temperature:NE	Vapor Pressure:	NE
Solubility Water:SolublePartition Coefficient:NEAuto-ignition Temperature:NEDecomposition Temperature:NE	Vapor Density:	NE
Partition Coefficient:NEAuto-ignition Temperature:NEDecomposition Temperature:NE	Specific Gravity (Water=1):	0.95 +/- 0.05
Auto-ignition Temperature:NEDecomposition Temperature:NE	Solubility Water:	Soluble
Decomposition Temperature: NE	Partition Coefficient:	NE
	Auto-ignition Temperature:	NE
Viscosity (CPS): NE	Decomposition Temperature:	NE
	Viscosity (CPS):	NE

SECTION 10

Stability:This product is stable under normal temperatures and pressures.Incompatibility:UnknownDecomposition Products:UnknownConditions to Avoid:Extreme Heat

SECTION 11

TOXICOLOGICAL PROPERTIES

Raw Material	Test	Result	Route	Species
Proprietary derivitized carboxylic acid	NE			
Citrus Terpenes (94266-47-4)	LD50	>5000 mg/kg	Oral	rabbits
1-Butoxy-2-Propanol (5131-66-8)	LD50	2700 mg/kg	Oral	rats

See Section 4 for symptoms.

CARCINOGENICITY No known carcinogens.

MUTAGENICITY: No known mutagens.

REPRODUCTIVE TOXINS: No known reproductive toxins.

SECTION 12

ECOLOGICAL INFORMATION

Raw Material	Test	Result	Time	Species
Proprietary derivitized carboxylic acid	NE			
Citrus Terpenes (94266-47-4)	N/A			
1-Butoxy-2-Propanol (5131-66-8)	LC50	560 mg/l	96 hrs	Guppy

PERSISTENCE & DEGRADABILITY: NE

BIOACCUMULATION:

NE

MOBILITY: NE

SECTION 13

DISPOSAL CONSIDERATIONS

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use, or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose container and unused contents in accordance with federal, state, and local requirements.

SECTION 14

Not a regulated substance.

SECTION 15

US FEDERAL REGULATIONS

SARA (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT):

SARA 302 EXTREMELY HAZARDOUS SUBSTANCES LIST: N/A

SARA 312 HAZARD CATEGORY: N/A

SARA 313 TOXIC CHEMICALS LIST: N/A

CERCLA (COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION, AND LIABILITY ACT): N/A

RCRA (RESOURCE CONSERVATION AND RECOVERY ACT) LISTED HAZARDOUS WASTES: N/A

CWA (CLEAN WATER ACT) LISTED SUBSTANCES: N/A

FDA (FOOD AND DRUG ADMINISTRATON): N/A

TOXIC SUBSTANCES CONTROL ACT (TSCA): ALL INGREDIENTS ARE LISTED.

NFPA HAZARD INFORMATION SIGN:

[1] HEALTH HAZARD (BLUE DIAMOND)

4-DEADLY 3-EXTREME DANGER 2-HAZARDOUS 1-SLIGHTLY HAZARDOUS 0-NORMAL MATERIAL

[1] FIRE HAZARD (RED DIAMOND)

FLASH POINTS: 4-BELOW 73 F 3-BELOW 100 F

[0] REACTIVITY HAZARD (YELLOW DIAMOND

4-MAY DETONATE 3-SHOCK AND HEAT MAY DETONATE 2-VIOLENT CHEMICAL CHANGE 1-UNSTABLE IF HEATED 0-STABLE

[] SPECIFIC HAZARD (WHITE DIAMOND)

OX	OXIDIZER
ACID	ACID
ALK	ALKALI

2-BELOW 200 F
1-ABOVE 200 F
0-WILL NOT BURN

COR	CORROSIVE
W	USE NO WATER

SECTION 16

OTHER INFORMATION

THIS INFORMATION IS OFFERED IN GOOD FAITH AS TYPICAL VALUES AND NOT AS A PRODUCT SPECIFICATION. NO WARRANTY, EXPRESSED OR IMPLIED, IS HEREBY MADE. THE RECOMMENDED INDUSTRIAL HYGIENE AND SAFE HANDLING PROCEDURES ARE BELIEVED TO BE GENERALLY APPLICABLE. HOWEVER, EACH USER SHOULD REVIEW THESE RECOMMENDATIONS IN THE SPECIFIC CONTEXT OF THE INTEDED USE AND DETERMINE WHETHER THEY ARE APPROPRIATE.